


NATIONAL TRANSPORTATION SAFETY BOARD - Public Hearing



Conrail Derailment in Paulsboro, NJ with Vinyl Chloride Release

Agency / Organization

New Jersey DEP

Title

NJ Dept. of Environmental Protection (NJDEP-1264-1265) - Responder Exposures

Docket ID: DCA13MR002

 From:
 VanFossen, Robert

 To:
 lpp5347
 ** PII **

Subject: Fw: FYI-link to story from NJ.com

Date: Thursday, December 20, 2012 11:03:00 AM

Bryan...fyi...pls do not pass on

Bob Van Fossen

Director

Emergency Management

O: 609 ** PII **

From: VanFossen, Robert

Sent: Thursday, December 20, 2012 10:58 AM

To: 'Thomas Scardino' ** PII ** ; Daniel Mitten ** PII ** ; Quinn,

Dennis

Cc: Michael McIntyre ** PII ** ; Dominic Rota ** PII **

Dickson, Edward

Subject: RE: FW: FYI-link to story from NJ.com

I agree with tom maint of all equipment issued under homeland security grants is the responsibility of the grantee so.to my knowledge, none of these issues came up during the response level believe exposure was during the initial phases of the response where the staging and command post were established to close to the incident and responders did not have the appropriate ppe on. Only thru the efforts of oem and dep, did the command post and staging areas get moved to a safe distance

Robert Van Fossen
Director
Emergency Management
(609) *** PII***

From: Thomas Scardino *** PII **

Sent: Thursday, December 20, 2012 10:28 AM

To: VanFossen, Robert; Daniel Mitten; Quinn, Dennis

Cc: Michael McIntyre; Dominic Rota; Dickson, Edward

Subject: Re: FW: FYI-link to story from NJ.com

Dennis,

Spoke to Mike McIntyre, O'brien's has been contracted to conduct an assessment of non-UASI HAZMAT teams throughout the state. The assessment is only for team capabilities and doesn't get into calibration and maintenance of equipment. Bottom line is that whoever is issued the equipment is responsible to maintain and calibrate it. Mike advised that he will see you today regarding the ARAM truck.

Captain Thomas Scardino

Executive Officer

Emergency Management Section

Homeland Security Branch

(609) *** PII***

Blackberry (609) *** PII***

609** **PII**** fax

Please read attached lined on Gloucester County Hazmat team - can you check with HMRU to determine if they have any training/inspection records associated with the Gloucester County Haz/Mat Team.

Bob: Can you check with your CEHA folks to determine the level of funding provided to Gloucester Hazmat and what if any records you may have regarding equipment, training, exercising.

Thanks

Dennis Quinn, Chief of Staff
NJ Office of Homeland Security and Preparedness
PO Box 091
Trenton, NJ 08625
(O) 609***PII***
(C) 609****PII***

From: Dominic Rota

Sent: Wednesday, December 19, 2012 11:35 AM

To: Edward Dickson; Dennis Quinn **Subject:** FYI-link to story from NJ.com

FYI-see below link to story, which could affect our response. | • Il share with Gov • Office.

http://www.nj.com/gloucester-county/index.ssf/2012/12/paulsboro_train_derailment_fir.html#incart_m-rpt-1

The information contained in this e-mail, including any attachment(s), is intended solely for use by the named addressee(s) and may contain Sensitive but Unclassified information that may be statutorily or otherwise prohibited from being released without appropriate approval. If you are not the intended recipient you are not authorized to disclose, copy, distribute or retain this message, in whole or in part, without written authorization from the NJ Office of Homeland Security and Preparedness. If you have received this message in error, please notify the sender immediately, permanently delete this email, along with any attachments and destroy any printouts. This notice is included in all e-mail messages leaving the NJ Office of Homeland Security and Preparedness. Thank you for your cooperation.